



EA MLA Signatory Český institut pro akreditaci, o.p.s. Olšanská 54/3, 130 00 Praha 3

issues

according to section 16 of Act No. 22/1997 Coll., on technical requirements for products, as amended

CERTIFICATE OF ACCREDITATION

No. 390/2024

Výzkumný a vývojový ústav dřevařský, Praha, s.p. with registered office Na Florenci 7-9, č.p. 1685-1686, 111 71 Praha 1, Company Registration No. 00014125

for the Testing Laboratory No. **1031** Testing Laboratory for Materials and Products

Scope of accreditation:

Testing of wood, products made of wood, windows, doors, floors, adhesives, glued joints, wood-based panels, paints and varnishes for wood and chemical wood preservatives against biotic pest and fire, chemical analyses, testing of air permeability and acoustic properties of buildings, leakage testing of formaldehyde and VOC substances and assessment of the properties of building products to the extent as specified in the appendix to this Certificate.

This Certificate of Accreditation is a proof of Accreditation issued on the basis of assessment of fulfillment of the accreditation criteria in accordance with

ČSN EN ISO/IEC 17025:2018

In its activities performed within the scope and for the period of validity of this Certificate, the Conformity Assessment Body is entitled to refer to this Certificate, provided that the accreditation is not suspended and the Accredited Body meets the specified accreditation requirements in accordance with the relevant regulations applicable to the activity of an accredited Conformity Assessment Body.

This Certificate of Accreditation replaces, to the full extent, Certificate No.: 217/2023 of 3. 5. 2023, or any administrative acts building upon it.

The Certificate of Accreditation is valid until: 1. 12. 2026

Prague: 15. 8. 2024





Jan Velíšek
Director of the Department
of Testing and Calibration Laboratories
Czech Accreditation Institute

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

The laboratory applies a flexible approach to the scope of accreditation.

The current list of activities carried out within the flexible scope is available on the laboratory's website https://www.vvud.cz/sluzby/certifikace-vyrobku-a-posuzovani-shody/ in the form of the "List of activities within the flexible scope of accreditation".

Detailed information on activities within the scope of accreditation (determined analytes) is given in the section "Specification of the scope of accreditation".

Tests:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
1	Wood quality testing			-
1.1*	Measurement of dimensions, defects and biological degrade	ČSN EN 1309-1; ČSN EN 1309-2; ČSN EN 1309-3	Round and sawn timber	-
1.2*	Determination of classes according to strength	ČSN 73 2824-1	Structural timber	-
1.3*	Measurement of defects	ČSN EN 14229, cl. 5.5 and 6	Wood poles	-
2	Testing of technical proper	ties of wood		
2.1	Determination of dimensions	}		
2.1.1*	Determination of dimensions	ČSN 49 1010	Sawn timber	-
2.1.2*	Determination of dimensions	ČSN EN 13145+A1	Sleepers	-
2.1.3*	Determination of dimensions	ČSN EN 14229, cl. 5.5 and 6	Poles	
2.1.4*	Determination of dimensions	ČSN EN 324-1; ČSN EN 324-2; ČSN EN 325	Wooden panels	
2.1.5*	Determination of dimensions	ČSN EN 13647	Floors, coverings	-
2.1.6*	Determination of dimensions	ČSN 73 0212-5, chap. 1-4	Building components	
2.2	Determination of dimensiona	l variations		
2.2.1	Determination of dimensional variations	ČSN EN 318	Wooden panels	-
2.2.2	Determination of dimensional variations	ČSN EN 1910	Wooden panels Floors, coverings	-
2.3	Determination of resistance to axial withdrawal of screws	ČSN EN 320	Wooden panels	-

11_01-P508b L-2023082400M AGREDITACM ORGAN . Page 1 of 13

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
2.4	Determination of the adhesion of surface layers	ČSN EN 311	Wooden panels	-
2.5	Determination of the moisture resistance under cyclic test conditions	ČSN EN 321	Wooden panels	-
3	Testing of physical propert	ies		
3.1	Determination of moisture			
3.1.1	Determination of moisture	ČSN EN 13183-1	Sawn timber	A, D
3.1.2	Determination of moisture	ČSN 49 0103; ASTM D 4442-16, excl. method D	Wood	A, D
3.1.3	Determination of moisture	ČSN EN 322; ISO 16979	Wooden panels	A, D
3.1.4	Determination of moisture	ČSN EN 14229, cl. 6.8	Poles	A, D
3.2	Determination of density			
3.2.1	Determination of density	ČSN 49 0108	Wood	A, D
3.2.2	Determination of density	ČSN EN 323	Wooden panels	A, D
3.2.3	Determination of density	ČSN EN 14229, cl. 6.8	Poles	A, D
3.3	Determination of swelling	ČSN EN 317	Wooden panels	A, D
3.4	Determination of resistance to humidity	ČSN EN 1087-1	Wooden panels	A, D
4	Testing of mechanical prop	erties		
4.1	Determination of tensile strength	ČSN EN 319	Wooden panels	A, D
4.2	Determination of the bending	g strength and bending modul	us of elasticity	
4.2.1	Determination of the bending strength and bending modulus of elasticity	TP VVÚD 2.13.009 (DIN 1052-1/A1, Annex B)	Finger joint	A, D
4.2.2	Determination of the bending strength and bending modulus of elasticity	SANS 6122, cl. 5.5; ČSN 49 0115; ASTM D 4761-19, cl. 6-8	Wood, timber	A, D
4.2.3	Determination of the bending strength and bending modulus of elasticity	ČSN EN 310 ČSN EN 789, cl. 6, 7, 1910 a.c.	Wooden panels	A, D

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees o freedom ³
4.2.4	Determination of the bending strength and bending modulus of elasticity	ČSN EN 408+A1, cl. 10, 19	Wood, finger joint, glued laminated timber	A, D
4.3	Determination of compressive strength perpendicular to the grain	SANS 6122, cl. 5.10; ASTM D 4761-19,c. 10	Wood, timber	A, D
4.4	Determination of behaviour of complete floor tile installation systems under dynamic loads	ASTM C627	Floors and floor tile installation systems	A, D
5	Testing of paints, varnishes	and coating systems	Ti.	
5.1	Determination of non-volatile-matter content	ČSN EN ISO 3251	Paints, varnishes and coating systems	-
5.2	Determination of resistance to liquids	ČSN EN ISO 2812-1; ČSN EN ISO 2812-2	Paints, varnishes and coating systems	-
5.3	Surface drying test	ČSN EN ISO 9117-3	Paints, varnishes and coating systems	-
5.4*	Adhesion test	ČSN EN ISO 2409	Paints, varnishes and coating systems	-
5.5	Pull-off test for adhesion	ČSN EN ISO 4624	Paints, varnishes and coating systems	- 00
5.6	Determination of thickness	ČSN EN ISO 2808, procedure 1A, 1C, 4A, 4B	Paints, varnishes and coating systems	-0
5.7	Natural weathering test	ČSN EN 927-3	Paints, varnishes and coating systems	-
5.8	Liquid water permeability test	ČSN EN 927-5	Paints, varnishes and coating systems	-
5.9	Print-free test	ČSN EN ISO 9117-6	Paints, varnishes and coating systems	-
5.10	Accelerated weathering test	TP VVÚD 3.64.001	Paints, varnishes and coating systems	-
5.11	Test by artificial weathering using fluorescent UV lamps and water	ČSN EN 927-6	Paints, varnishes and coating systems	-
6	Testing of adhesives and ad	hesive-bonded elements		
6.1	Determination of solids content	ČSNEN 827 ak	Glues, adhesives	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
6.2	Determination of strength of	ČSN EN 302-1;	Glues, adhesives	-
	bonded joints	ČSN EN 302-2;		
		ČSN EN 302-3;		
		ČSN EN 302-4;		
		ČSN EN 204;		
		ČSN EN 205;		
		ČSN EN 13354;		
		ASTM D 905-08;		
		ASTM D 2559-12a, cl. 14;		
		ČSN EN 14257		
6.3	Determination of the bonding	quality		
6.3.1	Determination of the bonding quality	ČSN EN 16351, Annexes A, G	Cross laminated timber	=.1
6.3.2	Determination of the	ČSN EN 314-1	Wooden panels	- 16
	bonding quality	ČSN EN 314-2		
6.3.3	Determination of the	ČSN EN 14080, Annexes	Glued laminated	-
	bonding quality	B3, C, D;	timber and finger	
		TP VVÚD 2.13.011	joints	
		(ift-Ho-10/1, Annex 4); SANS 10096, Annex B	k 2.3	
6.3.4	Determination of the bonding quality	ASTM D 1101-97a	Glued laminated timber	- 2
7	Testing of fire properties			
7.1	Modified fire resistance test	TP VVÚD 4.23.001	Building products,	=
		(ČSN EN 1363-1)	building materials	
8	Testing of wood preservativ	es and wood protection		
8.1	Testing of effectiveness against moulds	ČSN 49 0604, cl. 67-85	Wood preservatives and protected wood	A, D
8.2	Test of resistance to moulds	TP VVÚD 2.83.002	Building products	A, D
		(ČSN 72 4310;	and materials,	
		ČOS 999905, chap. 5 and 12)	military equipment	
8.3	Determination of the	ČSN P ENV 807;	Wood preservatives	A, D
35.05.75X	effectiveness against soft	ČSN EN 84	and protected wood	
	rotting micro-fungi and			
	other soil inhabiting micro- organisms	with pro atro		

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.
CAB number 1031, Testing Laboratory for Materials and Products
Borská 471, 262 72 Březnice

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
8.4	Determination of toxic values against wood destroying Basidiomycetes	ČSN EN 113-1; ČSN EN 113-2; ČSN EN 73; ČSN EN 84	Wood preservatives and protected wood	A, D
8.5	Determination of the protective effectiveness against wood destroying Basidiomycetes - Application by surface treatment	ČSN EN 839; ČSN EN 73; ČSN EN 84	Wood preservatives and protected wood	A, D
8.6	Assessment of the effectiveness of a masonry fungicide to prevent growth into wood of Dry Rot Serpula lacrymans	TP VVÚD 2.83.014 (ČSN EN 12404)	Preservatives	A, D
8.7	Determination of the protective effectiveness of a preservative treatment against blue stain	ČSN EN 152	Wood preservatives and protected wood	A, D
8.8	Determination of the toxic values against larvae of Hylotrupes bajulus for deep protection	ČSN EN 47; ČSN EN 73; ČSN EN 84	Wood preservatives and protected wood	A, D
8.9	Determination of the preventive action against Hylotrupes bajulus for deep protection	ČSN EN 46-1; ČSN EN 73; ČSN EN 84	Wood preservatives and protected wood	A, D
8.10	Determination of the relative protective effectiveness of a wood preservative in ground contact	ČSN EN 252	Wood preservatives and protected wood	A, D
8.11	Determination of the relative protective effectiveness of a wood preservative in out-of- ground contact	ČSN EN 330	Wood preservatives and protected wood	A, D
8.12	Test of extractability of a wood preservative from wood by extraction method	TP VVÚD 2.83.041	Wood preservatives and protected wood	A
8.13	Determination of corrosion effect of a wood preservative to metals	ČSN 49 0681-1	Preservatives	A, D

11_01-P508b L-20230824

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
8.14	Determination of corrosion effect of protected wood to metals	ČSN 49 0681-2	Wood preservatives and protected wood	A, D
8.15	Determination of effect of wood preservatives to mechanical properties of wood	TP VVÚD 2.83.045	Wood preservatives and protected wood	A
8.16	Determination of the preventive action against Hylotrupes bajulus (Linnaeus) – Ovicidal effect	ČSN EN 46-2; ČSN EN 73; ČSN EN 84	Wood preservatives and protected wood	A, D
8.17	Determination of the eradicant action against Hylotrupes bajulus (Linnaeus) larvae	ČSN EN 1390	Wood preservatives and protected wood	A, D
8.18	Testing of the efficiency of film preservatives in coating against fungi and moulds	ČSN EN 15457	Wood preservatives and protected wood, paints and varnishes	A, D
8.19	Determination of resistance to moulds on insulation	CUAP 12.01/02cl1 Annex C	Building products and materials	A, D
8.20	Determination of the preventive effectiveness against sapstain fungi and mould fungi on freshly sawn timber - Field test	ČSN P CEN/TS 15082	Wood preservatives and protected wood	A, D
8.21	Determination of the effectiveness against sapstain fungi and mould fungi on freshly sawn timber - Laboratory test	TP VVÚD 2.83.053 (NWPC STANDARD 1.4.1.3./79)	Wood preservatives and protected wood	A, D
8.22	Determination of emissions from preservative treated wood to the environment	ČSN P CEN/TS 15119-1; ČSN P CEN/TS 15119-2	Wood preservatives and protected wood	A, D
9	Testing of windows and bal	cony doors, doors, frames an	d gates	
9.1	Measurement of dimensions and squareness deviations	TP VVÚD 5.18.002	Windows and balcony doors	-
9.2	Air permeability test	ČSN EN 1026	Windows and balcony doors, door leaves	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
9.3	Test of the resistance to wind load	ČSN EN 12211	Windows and balcony doors, door leaves	-
9.4	Test of watertightness	ČSN EN 1027 except method 2A and 2B	Windows and balcony doors, door leaves	_
9.5	Testing of roof windows	TP VVÚD 4.10.001	Roof windows and skylights	- 1
9.6	Measurement of height, thickness and squareness	ČSN EN 951	Doors	-
9.7	Measurement of general and local flatness	ČSN EN 952	Doors	-
9.8	Testing of inner flush wooden doors	TP VVÚD 4.10.002 (ČSN 74 6402)	Doors	
9.9	Determination of resistance to hard body impact	ČSN EN 950	Doors	-
9.10	Determination of the resistance to static torsion	ČSN EN 948	Hinged or pivoted doors	-
9.11	Determination of resistance to vertical load	ČSN EN 947	Hinged or pivoted doors	-
9.12	Air permeability test	ČSN EN 12427	Gates	-
9.13	Test of the resistance to wind load	ČSN EN 12444	Gates	-
9.14	Test of watertightness	ČSN EN 12489	Gates	-
9.15	Test of resistance to soft and heavy body impacts	ČSN EN 949	Doors	-
9.16	Measurement of operating forces	ČSN EN 12046-1	Windows	-
9.17	Measurement of operating forces	ČSN EN 12046-2	Doors	-
9.18	Determination of resistance to racking	ČSN EN 14608	Windows	
9.19	Determination of the resistance to static torsion	ČSN EN 14609	Windows	-
10	Testing of curtain walling			
10.1	Air permeability test	ČSN EN 12153	Curtain walling	-
10.2	Test of the resistance to wind load	ČSN EN 12179	Curtain walling	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
10.3	Laboratory test of watertightness under static pressure	ČSN EN 12155	Curtain walling	-
11	Test of pallets			
11.1	Test of EUR pallets	ČSN 26 9110	European timber flat pallet (800 x 1200) mm	-
12	Testing of building compon	ents of wooden buildings		
12.1*	Measurement of dimensions of building components	ČSN 73 0212-5, cl. 4	Building structures	-
12.2	Static loading tests	ČSN 73 2030; ČSN EN 380	Building structures	-
12.3	Measurement of resistance of panels and prefabricated panels to impact	TR 001	Building structures	-
12.4	Determination of strength and rigidity	TR 002	Beams, poles	-
12.5	Determination of air permeability	ČSN EN 12114	Building components, building units	-
13	Testing of physico-chemical	properties of preservative	S	
13.1	Determination of density	ČSN 65 0342; ČSN EN ISO 2811-1	Aqueous solutions, preservatives	-
13.2	Determination of pH	TP VVÚD 2.10.006 (ČSN ISO 10523)	Aqueous solutions, preservatives	-
14	Chemical analytical testing			
14.1	Determination of the content	of quarternary ammonium co	ompounds by two-phase	titration
14.1.1	Determination of the content of quarternary ammonium compounds by two-phase titration	ČSN EN ISO 2871-2	Aqueous solutions, preservatives	A, B
14.1.2	Determination of the content of quarternary ammonium compounds by two-phase titration	TP VVÚD 2.62.004	Protected wood	A, B

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
14.2	Gravimetric determination of copper content by electrolysis	TP VVÚD 2.62.005, cl. 4.2.1 (ČSN 49 0609)	Preservatives, protected wood and aqueous solutions	A, B
14.3	Determination of copper content by spectrophotometry	TP VVÚD 2.62.005, cl. 4.2.3	Wood preservatives, protected wood and aqueous solutions	A, B
14.4	Determination of the content of boron by titration	TP VVÚD 2.62.007 (ČSN 49 0609)	Wood preservatives, protected wood	A, B
14.5	Determination of the content of tebuconazol by liquid chromatography method with UV detector	TP VVÚD 2.62.013	Preservatives	A, B
14.6	Determination of the content of propiconazole by liquid chromatography method with UV detector	TP VVÚD 2.62.014	Preservatives	A, B
14.7	Determination of the content of 3-iodoprop-2-ynylbutylcarbamate by liquid chromatography method with UV detector	TP VVÚD 2.62.017	Preservatives	A, B
14.8	Determination of the content of flufenoxuron by liquid chromatography method with UV detector	TP VVÚD 2.62.018	Preservatives	A, B
14.9	Determination of the content of deltamethrin, permethrin and cypermethrin by liquid chromatography method with UV detector	TP VVÚD 2.62.019	Preservatives	A, B
14.10	Determination of creosote content by gravimetry	ČSN EN 12490	Protected wood	A, B
14.11	Determination of the content of fenoxycarb by liquid chromatography method with UV detector	TP VVÚD 2.62.020	Preservatives	A, B
14.12	Determination of formaldehyde release by spectrophotometry - Extraction method called the perforator method	ČSN EN ISO 12460-5	Wooden panels	A, B

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

Ordinal number ¹	Test procedure / method name	Test procedure / method identification ²	Tested subject	Degrees of freedom ³
14.13	Determination of formaldehyde release by spectrophotometry - Gas analysis method	ČSN EN ISO 12460-3	Wooden panels, floor coverings, building materials	A, B
14.14 ⁴	Determination of formaldehyde release - chamber method	TP VVÚD 2.64.001 (ČSN EN 717-1; ASTM D 6007; ČSN EN 16516)	Composite wooden boards, wooden panels, floor coverings, building materials	A, B
14.15	Determination of the emissions of volatile organic compound in a test chamber by gas chromatography with a mass detector	TP VVÚD 2.64.002 (ČSN EN 16516; ČSN EN ISO 16000-9)	Building materials and furniture	A, B
14.16	Determination of the emissions of carbonyl compounds in a test chamber by liquid chromatography with a UV detector	TP VVÚD 2.64.003 (ČSN EN 16516; ČSN EN ISO 16000-9; ISO 16000-3)	Building materials and furniture	A, B
15	Building diagnostic tests			
15.1*	Determination of air permeability of buildings by BlowerDoor method	ČSN EN ISO 9972	Construction works	-

- asterisk at the ordinal number identifies the tests, which the laboratory is qualified to carry out outside the permanent laboratory premises; the numerical index at the test ordinal number identifies the location carrying out the test.
- if the document identifying the test procedure is dated, only these specific procedures are used. If the document identifying the test procedure is not dated, the latest valid edition of the specified procedure is used (including any changes)
- degrees of freedom: A Flexibility concerning materials/products (subject of the test), B Flexibility concerning components/parameters/characteristics, C Flexibility concerning the performance of the method, D Flexibility concerning the method
 - The laboratory can modify the test procedures with the specified degree(s) of freedom in the scope of accreditation while maintaining the principle of measurement. If no degree of freedom is specified, the laboratory cannot apply a flexible approach to the scope of accreditation for the test
- The tests have been assessed according to the relevant requirements of 40 CFR Part 770 (Regulation Formaldehyde Emission Standards for Composite Wood Products published by the United States Environmental Protection Agency, available at https://www.epa.gov/formaldehyde.)

Specification of the scope of accreditation:

Ordinal test number	Detailed information on activities within the scope of accreditation (determined analytes)
14.15	Acetic acid CAS 64-19-7, Pentanal CAS 110-62-3, Toluen CAS 108-88-3, 1-Pentanol CAS 71-41-0, Hexanal CAS 66-25-1, Heptanal CAS 111-71-7,

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

Ordinal test number	Detailed information on activities within the scope of accreditation (determined analytes)	
	alpha-Pinene CAS 80-56-8, Pentanoic acid CAS 109-52-4, Camphene CAS 79-92-5, (-)-beta-Pinene CAS 18172-67-3, 2-Heptenal CAS 18829-55-5, (+)-3-Carene CAS 498-15-7, Octanal CAS 124-13-0, D-Limonene CAS 5989-27-5, p-Cymene CAS 99-87-6, Hexanoic acid CAS 142-62-1, 1-Octanol CAS 111-87-5, Nonanal CAS 124-19-6	
14.16	Formaldehyde CAS 50-00-0, acetaldehyde CAS 75-07-0, acetone CAS 67-64-1	

Exp	<u>lanations:</u>
TD 7	WID

TP VVÚD	Technical specification of VVÚD	
TR xxx	Technical report No. xxx	
CUAP	Common Understanding Assessment Procedures	
NWPC	Standard Nordic Wood Preservation Council Standard	
DIN	German technical standard	
Ift-HO	Method designed by ift (Institut für Fenstertechnik) Rosenheim	
ASTM	Technical standard issued by ASTM (American Society for Testing and	
	Materials)	
SANS	South African National Standards	
ČOS	Czech Defence Standard	

Accreditation for purposes of authorization/notification

Ordinal number	Product / Product group name	Conformity assessment procedure / module / AVCP system	Basic requirements / harmonized technical specifications: product specifications / characteristics / technical standards ¹	
1.	Construction products acc. to Regulation (EU) No. 305/2011			
1.1	Doors, windows, shutters, gates and related finish hardware			
1.1.1	Doors and gates (with or without corresponding hardware) for specific uses and/or uses subject to specific requirements, especially requirements for noise, energy, tightness and safety and for emergency routes (according to Annex 3 of Commission Decision No. 1999/93/EC, as amended by 2011/246/EU)	Regulation No. 305/2011 System 3	ČSN EN 14351-1+A2:2018	

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Ordinal number	Product / Product group name	Conformity assessment procedure / module / AVCP system	Basic requirements / harmonized technical specifications: product specifications / characteristics / technical standards1		
1.1.2	Windows (with and without related hardware)	Regulation No. 305/2011 System 3	ČSN EN 14351-1+A2:2018		
	(according to Annex 3 of Commission Decision No. 1999/93/EC, as amended by 2011/246/EU)				
1.2	Wood based panels and elements				
1.2.1	Unfaced, overlaid and veneered or coated wood-based panels for non-structural elements in interior or exterior applications (according to Annex 3 of Commission Decision No. 97/462/EC, as amended by 2001/596/EC)	Regulation No. 305/2011 System 3	ČSN EN 13986+A1:2015		
1.3	Floorings	***			
1.3.1	Rigid flooring products – paving units, tiles, mosaics, parquets, rigid laminated floorings, wood based products (according to Annex No. 3 of Commission Decision No. 97/808/EC, as amended by Commission Decision 1999/453/EC, 2001/596/EC, and 2006/190/EC)	Regulation No. 305/2011 System 3	ČSN EN 14342:2017; ČSN EN 14041:2005 (only for laminated floor coverings)		
1.4	Indoor and outdoor coating of walls and ceilings, internal partition kits				
1.4.1	Tiles for interior or exterior wall or ceiling finishes (according to Annex 3 of Commission Decision No. 98/437/EC, as amended by Commission Decision 2001/596/EC)	Regulation No. 305/2011 System 3			
1.5	Roof coverings, roof lights, roof windows and ancillary products, roof kits				
1.5.1	Roof windows (according to Annex 3 of Commission Decision No. 98/436/EC, as amended by 2001/596/EC)	Regulation No. 305/2011 System 3	ČSN EN 14351-1+A2:2018		

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Výzkumný a vývojový ústav dřevařský, Praha, s.p.

CAB number 1031, Testing Laboratory for Materials and Products Borská 471, 262 72 Březnice

Ordinal number	Product / Product group name	Conformity assessment procedure / module / AVCP system	Basic requirements / harmonized technical specifications: product specifications / characteristics / technical standards 1
1.6 Curtain walling/sheathing/structural sealed glazing			
	Curtain walling systems - as external walls, for uses subject to reaction to fire regulations - as external walls, for uses not subject to reaction to fire regulations (According to Annex III of the Commission Decision 96/580/EC, as amended by Commission Decision 2001/596/EC)	Regulation No. 305/2011 System 3	ČSN EN 13830:2004

for dated documents identifying essential requirements / harmonised technical specifications: product specifications / features / technical standards, only the editions cited are used; for undated documents, the latest edition of the referenced document (including any amendments) is used

Explanations and abbreviations:

Regulation

Regulation (EU) of the European Parliament and of the Council

RK

Commission Decision

"This document is an appendix to the certificate of accreditation. In case of any discrepancies between the English and Czech versions, the Czech version shall prevail, both for the certificate appendix and the certificate itself."

